



FUTURE CITY DETENTION BASIN (TYPICAL)

**ADDITIONS AFTER 2022 STORM DRAIN MASTERPLAN APPROVAL**  
 48" PIPE - 2240 N & 600 WEST  
 10'x6' CHANNEL - 2900 WEST & 2800 NORTH  
 20'x10' CHANNEL - 2400 NORTH EAST OF BULLDOG RD.

Cedar City Council Approval  
 Date: November 30, 2022  
 Ordinance #1130-22-9  
 Map Printed:  
 Mar. 27, 2023

**Legend**  
**Storm Water Master Plan**  
**Pipe Size**

- 20' x 10' Channel
- 10' x 8' Box
- 10'x6' Graded Channel
- 72"
- 60"
- 54"
- 48"
- 42"
- 36"
- 30"
- 24"
- 18"
- 15"
- Curb
- Ditch
- Existing Detention Basin
- Proposed Dike
- Storm Detention Proposed Area

# CEDAR CITY, UTAH

## 2022 Storm Drain Master Plan



**Disclaimer**  
 Cedar City Corporation assumes no liability for the accuracy of this map. Intent is for viewing purposes only.

NOTES:  
 1. PIPE MATERIALS TO CONFORM TO CITY ENGINEERING STANDARDS.  
 2. CHANNEL DIMENSION INDICATE BOTTOM WIDTH X HEIGHT WITH 2:1 SLOPE.  
 3. DEVELOPMENT PAYS FOR UP TO 24" DIAMETER PIPE.



**CEDAR CITY CORP.**  
 10 North Main  
 Cedar City, Utah 84720